

**(Company Letterhead)**

**BMP Volume Certification Form**

Project Name \_\_\_\_\_ Date\_\_\_\_\_

Gwinnett Co. Permit #\_\_\_\_\_

BMP Identifier (as stated on original as-built): \_\_\_\_\_

BMP Facility Type: \_\_\_\_\_

In accordance with section 800-80.5 of the Gwinnett County Unified Development Ordinance Amendment UDO2020-00003, a record survey was conducted on (date) by (company). We hereby certify that no changes have occurred to the Best Management Practices (BMP) facility, which would affect either the volume or the outlet control structure since the As-built Storm Water Management Report was approved by Gwinnett County. We therefore conclude that the BMP facility's volume meets or exceeds the minimum required volume in accordance with Gwinnett County's Unified Development Ordinance.

**BMP's Minimum Required Water Quality Volume \_\_\_\_\_ (cu. Ft.)**

Volume Type	Approved As-built Field Surveyed Volume (cu. ft.)	Current Field Surveyed Volume (cu. ft.)
Total Water Quality Volume		
Total Facility Volume		

Attached to this form is a new record survey, including topography, of the BMP facility along with a detail drawing of the outlet control structure for review. Also, include the stage/storage and pre/post development flows report.

\*Note: One Form per BMP facility is required to be submitted to P&D for review.

